

B-SYSTEM

INSTALLATION SOLUTIONS



Euroboxx Precast

Datasheet





Installation
Video

Universal installation backbox for filigree ceilings and precast modular concrete slabs.



Lines show maximum possible cut-out dimension



Description

Ceiling installation backbox for concrete ceilings (precast modular element ceilings) consisting of EPS base body with glued-in OSB rear wall cover and OSB front. It nicely follows the installation workflow in the concrete factory.

Features

- break-out points for 20 mm + 25 mm conduits
- low weight and high stability with excellent vibration damping
- better audio reproduction in concrete ceilings than other enclosures made of wood, sheet metal or plastic
- better airborne and structure-borne sound insulation in concrete ceilings than conventional built-in enclosures
- universal: simply make the desired cut-out after the concreting process
- Internal insulation: 10 mm foam

Scope of supply

- 1 Euroboxx Precast L made of EPS gray, 50 kg/m³ with glued-in Knauf Aquapanel® front panel

Type	Euroboxx Precast L
SKU	1000402
Dimensions	390 × 390 × 162,5 mm (L × W × H)
Installation depth max.	150 mm
Cut-out dimension X	circular: max. 330 mm square: 290 × 290 mm
Internal volume	13,50 l
Fire safety class	B1
Pallet unit	66 pieces 60 pieces with carton



Installation & Info
<https://b-system.com/euroboxx-precast>

B-SYSTEM

INSTALLATION SOLUTIONS

B-SYSTEM GmbH
Bismarckstraße 19
78652 Deisslingen
Germany

Phone: +49 (0)7420 889-889
E-mail: info@b-system.com
Web: www.b-system.com