


B-SYSTEM
INSTALLATION SOLUTIONS



Dryboxx Invisible

Sonance Invisible Series (IS6, IS8, IS10, IS10W)

Acoustically Optimized Installation Backbox
for Suspended Ceilings & Drywall



Premium backbox for the Sonance Invisible series in drywall constructions

Thanks to its clever design and high-quality materials, the acoustically optimized Dryboxx Invisible offers optimal sound support while providing effective sound insulation. In addition, it provides secure protection in drywall and suspended ceilings for the entire Sonance Invisible series.


Safe installation in ceilings and walls

The Dryboxx Invisible fits all common drywall grid dimensions and fits easily into any standardized installation workflow. A placeholder board protects the inside of the backbox during construction before the invisible speaker is securely installed. The airtight Dryboxx Invisible is also suitable for ceilings with vapor barriers.



For Suspended Ceilings & Drywalls

Robust and acoustically optimized backbox



For Sonance Invisible

Fits Sonance IS6, IS8, IS10 and IS10W



Sound Support & Protection

Supports the sound quality of the Sonance Invisible series, minimizes airborne and structure-borne noise protects against moisture and dust

Full sound reproduction thanks to decoupled installation backbox

Dryboxx Invisible backboxes are made of high-quality, robust MDF panels, protect against vibration thanks to the decoupling mat and significantly reduce structure-borne noise. The internal insulation with acoustic studiofoam supports and dampens the sound of the Sonance loud-speaker as well and prevents airborne sound from spreading into unwanted area (sound leakage). Dryboxx Invisible installation backboxes are prepared and ready for installation and easy to integrate.

- ✓ High stability
- ✓ Excellent vibration damping
- ✓ Powerful audio reproduction
- ✓ High airborne and structure-borne sound insulation
- ✓ Reduces sound leakage
- ✓ Suitable for ceilings with vapor barrier
- ✓ Glued-in rubber plugs for cables and ductwork
- ✓ Adapted to all common drywall grid dimensions

i Specially developed for Sonance IS6, Sonance IS8, Sonance IS10 and Sonance IS10W for installation in ceilings and walls (drywall)

Product	Volume	Dimensions	Cut-out Dimensions
Dryboxx Invisible IS6	20.00 l	555 × 555 × 97 mm	340 × 250 mm (for Sonance IS6)
Dryboxx Invisible IS8 / IS10W	24.35 l	670 × 555 × 97 mm	540 × 250 mm (for Sonance IS8 & IS10W)
Dryboxx Invisible IS10	33.40 l	910 × 555 × 97 mm	655 × 250 mm (for Sonance IS10)

i The Dryboxx Invisible is suitable for both ceilings and walls.


SONANCE
BEYOND SOUND

Sonance® is a registered trademark B-System is not affiliated with Sonance.
Please visit sonance.com for more information on their range of invisible speakers.



Dryboxx
Invisible
(Sonance)

The Dryboxx Invisible series in detail:



B-System GmbH

B-System backboxes are standard solutions for the easy integration of loudspeakers and technology in concrete ceilings, brick or concrete walls and in drywall constructions.

Our system architecture allows for a wide range of options, even for demanding applications, and is suitable for all common loudspeaker brands and models.



We use only high-quality and robust components. Our backboxes support the audio quality of all built-in

speakers and protect the technology from dirt, moisture, dust and insects.

Our products have been in use thousands of times world-wide for many years, our installation workflows are established and standardised. B-System customers and partners have access to numerous planning documents, data sheets and installation instructions.

The B-System team will be happy to consult you personally!

Easily find the right backbox for your loudspeakers:



Backbox Finder

Downloads:



Downloads



Warehouse
3,000 sqm



Shipping
Worldwide



Tools
Backbox Finder



Warranty
3 Years



Consultation
Individual

Quality



Made in Germany